
Representation Representation 610 Binz Bldg.

Modernize with Southwest

610 Bigur pump is the point of contact with your customer. Keep it modern to build profits."





WHITE-TUCKER CO.

WHITE-TUCKER CO.

Factory Representatives
HOUSTON
HOUSTON
610 Binz Bldg.
610 Binz Bldg.
G

General Specifications

COMPUTER:

Records and indicates simultaneously both gallons and fractions of a gallon and the amount in dollars and cents. **Synchronized price control** on both sides of pump. Computes at price posted. **Bell ringing attachment** indicates each gallon as delivered. **Interlocked** so that pump cannot be operated until computer is turned back to zero after each sale.

METER:

Piston type—accurate at any rate of flow and at any pressure.

AIR SEPARATOR AND PRESSURE

RELIEF:

Built into meter. No return line to tank necessary.

PUMP:

Viking rotary type with built in strainer and by pass.

MOTOR:

Explosion resisting 1/3 h. p., 110-220 volt, 1 phase, 60 cycle, with

built-in switch.

ELECTRICAL

WIRING:

All rigid conduit and explosion resisting conduit boxes.

BRILLIANTLY

LIGHTED:

Individual lights directly over each meter dial.

METER BEZEL:

Brass-chrome plated.

HOSE:

Ten feet 3/4" standard gasoline hose.

NOZZLE:

Two speed non-chatter type.

PUMP GLOBE

HOLDER:

Furnished with each pump. Can be attached quickly.

STANDARD MODEL:

Finished in baked on enamel and complete with hose and nozzle valve.

Foot valve or angle check valve at small extra cost.

UNDERWRITERS'

LABEL:

All Southwest pumps bear the Underwriters' Label.

Standard Models

Cut 612-C

Complete as shown except without synchronized price control.

Cut 612-CS

Complete as shown with synchronized price control.

Display Panel Models

DISPLAY PANEL brilliantly lighted with individual lights. Size 12½" wide x 24" high x 3" deep with 3 plate glass adjustable shelves. Can be furnished on one or both sides.

Cut 612-CP Cut 612-CP-2 Cut 612-CS-P Standard cut 612-C with display panel on one side. Standard cut 612-C with display panel on two sides.

Standard cut 612-CS with display panel on one side.

Cut 612-CSP-2 Standard cut 612-CS with display panel on two sides.

ELECTRICAL FLASHER for display panel can be furnished on any of above models at an additional cost.

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of: Mike Jackson, FAIA